

25

Notice of Allowability

Application No.

09/829,985

Examiner

Victor S Chang

Applicant(s)

KINOSHITA ET AL.

Art Unit

1771

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed 11/9/2004.
2. ☒ The allowed claim(s) is/are 17 and 19-27.
3. ☐ The drawings filed on _____ are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Fang Liu on 1/7/2005.

The application has been amended as follows:

IN THE CLAIMS:

17. (currently amended): A medical adhesive tape useful for forming an ~~An~~ adhesive plaster ~~obtained by rolling a medical adhesive tape,~~ said tape comprising a base film and a pressure-sensitive adhesive layer ~~formed on one side of said base film~~, wherein
said base film is obtained by laminating on each side of a layer A, a layer B,
said layer A comprising an amorphous polyolefin, a thermoplastic elastomer and an inorganic filler selected from the group consisting of talc and zeolite,
each of said layers B comprising a polypropylene-based resin, wherein one of said layers B contains a thermoplastic elastomer and the other one of said layers B does not contain a thermoplastic elastomer, and
at least one of said layer A and said layer B comprising, as said thermoplastic elastomer, a polyolefin thermoplastic elastomer, and

Art Unit: 1771

said pressure-sensitive adhesive layer is laminated directly on said layer B containing the thermoplastic elastomer, or on an embossed or corona-discharge treated or primer pre-treated surface of layer B containing the thermoplastic elastomer.

For claims 19-27, in each of the claims, change the preamble "The adhesive plaster according to claim 17" to --The medical adhesive tape according to claim 17--.

REASONS FOR ALLOWANCE

2. The following is an examiner's statement of reasons for allowance:

In the instant claimed invention, Applicants' amendment to the claims overcome the prior rejections set forth in the last Office Action. Specifically, amended claim 17 is now directed to an adhesive tape having a pressure-sensitive adhesive layer laminated directly on layer B which contains thermoplastic elastomer. This structural relationship is not obvious, nor taught by Yamaoka et al. or Arakawa et al. The combined teachings of Yamaoka in view of Arakawa require the presence of pressure-sensitive adhesive layer adjacent to a layer B which does not contain thermoplastic elastomer.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Victor S Chang whose telephone number is 571-272-1474. The examiner can normally be reached on 8:30 - 5:00.


Art Unit: 1771

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Terrel H Morris can be reached on 571-272-1478. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

VSC
Victor S Chang
Examiner
Art Unit 1771

1/7/2005


TERREL MORRIS
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1700